


WELE MT 16W/20W



Type: Turning and milling center Multi tasking

Brand: WELE

Model: MT 16W/20W

C.N.C: Fanuc 31iMB

Technical information

TRAVELS

Longitudinal X-travel: 2800 mm
Z axis travel trasversal: 1000 mm
Y axis travel vertical: 3060 mm

TURNING CAPACITY

Turning Ø: 2100 mm
Turning length: 1700 mm

SPINDLE

Spindle nose: BT 50 ASA
Spindle speed: 10-6000 giri/min
Motor power: 22/26 Kw

TOOL MAGAZINE

Tools holder: 60 nr.

SPECIFIC PROPERTIES

Table dimensions: 3000x1600 mm
Max table load: 12000 kg
Diameter turn table: 1600 mm
Milling width with horizontal head: 2200 mm
Milling height with horizontal head: 1800 mm
Milling width with vertical spindle: 2300 mm
Milling height with vertical spindle: 1800 mm
W-axis stroke - cross: 1000 mm
Table speed: 2-280 rpm
Table motor: 37/44 Kw
Spindle head section: 436 mm
Max spindle speed horizontal: 2400 rpm
X axis rapid feed rate: 15000 mm/min
Y axis rapid feed rate: 20000 mm/min
Z axis rapid feed rate: 15000 mm/min
W axis rapid feed rate: 3000 mm/min
X y z w axis cutting feed rate: 1-10000 mm/min
Tool magazine capacity: 60
Mode tool changer: pickup
Tool change time (tool to tool): 12 sec
Machine length: 9990 mm
Machine width: 7650 mm
Machine height: 6000 mm
Machine weight: 45000 kg

