

SMEC MCV 6700H



Type: Vertical machining center Vertical

Brand: SMEC

Model: MCV 6700H

C.N.C: Fanuc 0iTF PLUS

Technical information

TABLE

Table dimensions: 1550x670 mm

Max table load: 1300 kg

TURNING CAPACITY

Longitudinal X-travel: 1300 mm

Cross Y-travel: 670 mm

Vertical Z-travel: 650 mm

SPINDLE

Spindle nose: 40 ISO

Spindle speed: 12.000 giri/min.


Motor power: 11-15 Kw

FEED RATES

Rapid feedrate axis X,Y,Z: 36000/36000/30000 mm/min

TOOL MAGAZINE


Tools holder: 30 nr.



Direct head

Spindle Speed
12,000 rpm

Spindle Motor
11/15/18.5 kW



Spindle is sustained by 4 rows P4 speedy angular ball bearing reducing temperature increasing to realize high speed and precision machining.

By adopting Direct Drive type spindle minimize vibration to excellent machining for nonmetal surface finishing.

Motor direct type is connected by coupling without extra power transmission.

Environment friendly chip disposal

By additional coil conveyor 2 sets coolant and chip disposal is improved, realizing perfect chip disposal through process in order

Bed Coolant Pipe(STD)

